

# ATTORNEY'S DOCKET NO: C1040/7006 AND TRADEMARK OFFICE TOLE TOLE

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

erial No: McCluskie al. 09/316,199

Filed: May 21, 1999

For: METHODS AND PRODUCTS FOR INDUCING MUCOSAL IMMUN

Examiner: Unassigned Art Unit: Unassigned

# CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8(a)

The undersigned hereby certifies that this document is being placed in the United States mail with first-class postage attached, addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231, on the 10th day of November, 1999.

Kim Ray-Akeeli

Assistant Commissioner for Patents Washington, D.C. 20231

# STATEMENT FILED PURSUANT TO THE DUTY OF DISCLOSURE UNDER 37 CFR §§1.56, 1.97 AND 1.98

Sir:

Pursuant to the duty of disclosure under 37 C.F.R. §§1.56, 1.97 and 1.98, the Applicants request consideration of this Information Disclosure Statement.

# Compliance with 37 C.F.R. §1.97

This Information Disclosure Statement has been filed before the mailing date of a first Office Action on the merits in the above-identified case.

No fee or certification is required.

# **Information Cited**

The Applicants hereby make of record in the above-identified application the information listed on the attached form PTO-1449 (modified). The order of presentation of the references should not be construed as an indication of the importance of the references.

The Applicants hereby make the following additional information of record in the above-identified application:

The following are related pending U.S. non-provisional applications which do not appear on the 1449 form.

Serial No.	Filing Date	
08/386,063	02/07/95	
08/738,652	10/30/96	•
08/960,774	10/30/97	$\Delta$
09/030,701	02/25/98	
09/082,649	05/20/98	1 C
09/146,072	09/02/98	"OV SIL
09/241,653	02/02/99	
09/286,098	04/02/99	Man Zon
09/306,281	05/06/99	(A) . (V)
09/325,193	06/03/99	600
09/337,584	06/21/99	200
09/337,619	06/21/99	40
09/337,636	06/21/99	
09/361,575	07/27/99	
	•	

The following are related PCT Publications, published after the priority date (copies are enclosed (B14-B17 on Form 1449)):

WO 98/37919	09/03/98
WO 98/18810	05/07/98
WO 98/40100	09/17/98
WO 98/52581	11/26/98

# Remarks

A copy of each of the above-identified information is enclosed unless otherwise indicated on the attached form PTO-1449 (modified). It is respectfully requested that:

- 1. The Examiner consider completely the cited information, along with any other information, in reaching a determination concerning the patentability of the present claims;
- 2. The enclosed form PTO-1449 be signed by the Examiner to evidence that the cited information has been fully considered by the Patent and Trademark Office during the examination of this application;
- 3. The citations for the information be printed on any patent which issues from this application.

By submitting this Information Disclosure Statement, the Applicants make no representation that a search has been performed, of the extent of any search performed, or that more relevant information does not exist.

By submitting this Information Disclosure Statement, the Applicants make no representation that the information cited in the Statement is, or is considered to be, material to patentability as defined in 37 C.F.R. §1.56(b).

By submitting this Information Disclosure Statement, the Applicants make no representation that the information cited in the Statement is, or is considered to be, in fact, prior art as defined by 35 U.S.C. §102.

Notwithstanding any statements by the Applicants, the Examiner is urged to form his own conclusion regarding the relevance of the cited information.

An early and favorable action is hereby requested.

Respectfully submitted,

By:

Helen C. Lockhart, Registration No. 39,248

Wolf, Greenfield & Sacks, P.C.

600 Atlantic Avenue

Boston, MA 02210 Tel. (617)720-3500

Docket No. C1040/7006 Dated: November 10, 1999

NDD

*. j	:	***	D.	
NOV	2	4	2003	80°
٠, .				\$ <b>/</b>


ORM		449 (Modified)		ATTY. DOCKET NO.	SERIAL	, NO.	,199 E	103
		F PATENTS AN		C1040/7006		09/316	,199	Ž
PUBI	LICATIO	ONS FOR APPLIC	CANTS				٠,٠	8
IN		ATION DISCLOS	URE		1			
		STATEMENT		APPLICANT McCluskie et al.				
			E .	FILING DATE May 21, 1999	GROUI	<del></del>		
<u> </u>				. PATENT DOCUMENTS				
Exam	Ref				GI	Sub	FILING	
[nit	Des	Document No.	Date	Name	Class	Class	If Appro	ргіате
	A1	3,906,092	09/16/75	Hilleman et al.	514	-44		
	A2	5,248,670	09/28/93	Draper et al.	514	44		<u>-</u> -
	A3	5,585,479	12/17/96	Hoke et al.	536	24.5		
	A4	5,663,153	09/02/97	Hutcherson et al.	514	44	<del></del> -	
	A5	5,786,189	07/28/98	Locht et al.	435	172.3		<del></del>
	A6	5,849,719	12/15/98	Carson et al.	514	44		
	A7	5,723,335	03/03/98	Hutcherson, et al.	435	375	<u> </u>	
				EIGN PATENT DOCUMENTS	· · · · · · · · · · · · · · · · · · ·	Ck	Trong	lation
		Country &	Pub.		Class	Sub Class	Yes	No
	Di	Doc. No. (11) WO 91/12811	Date (43)	PCT	A61K	31/70		
	B1	0468520	01/29/92	EPO	A61K	31/70	<u> </u>	
	B2	WO 92/03456	03/05/92	PCT	C07H	15/12		
	B3	WO 92/03436 WO 92/18522	10/29/92	PCT	C07H	21/00	E	
	B4 B5	WO 92/18322 WO 92/21353	12/10/92	PCT	A61K	31/70	1	
	B6	0302758 B1	03/16/94	EPO	C12N	15/37		1
	B7	WO 94/19945	09/15/94	PCT	A01N	43/04	1	<del>                                     </del>
	B8	WO 95/05853	03/02/95	Regents of the University of CA				
	B9	WO 95/26204	10/95	PCT	A61K	48/00		
ļ	B10	WO 96/02555	02/01/96	PCT				1
ļ		WO 96/35782	11/14/96	Applied Research Systems		1		<del>                                     </del>
-	B11		08/07/97	PCT	C12N	15/00		
<u> </u>	B12		05/07/98		C07F	21/00		
<u></u>	B13		09/03/98		A61k			1
-	B15		09/17/98		A611			
	B16		11/26/98		A611			
-	B17		04/09/98		A611			
<u> </u>	D1.	W O 30/14210	0-1107170	OTHER ART				
		Anch	iding Author	r Title, Date, Pertinent Pages, Pu	ıblication, Et	c.)	·	
-	C1	I A Las M sa al Est	noncion of CD	ER's DNA recognition specificity by T	ax results from	interaction	with Ala-	Ala-Ar
		positions 282-284	near the cons	erved DNA-binding domain of CREB.	Proc Natl Acad	i Sci USA :	91(12):564	2-6, 7
<del> </del>	C	Angier, N., Micro	be DNA Seen	as Alien By Immune System, New Yor	k Times, 4/11/9	5		



LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT  APPLICANT McCluskie et al.  FILING DATE May 21, 1999 GROUP  C3 Azad RF et al., Antiviral Activity of a Phosphorothicate Oligonucleotide Complementary to RNA of the Cluster of Cytonegalovirus Major Immediate-Early Region. Antimicrobial Agents and Chemotherapy, 37:1945-1993.  C4 Azuma, Biochemical and Immunological Studies on Cellular Components of Tubercle Bacilli, Kekkaku, Volcay Ays-55, 1992.  C5 Ballas ZK et al., Induction of NK activity in murine and human cells by CpG motifs in oligodeoxynucleotides and bacterial DNA. J Immunol 157(5):1840-5, 1966.  C6 Bayever, E., Systemic Administration of a Phosphorothicate Oligonucleotide with a Sequence Complementary to p53 for Acute Myelogenous leukemia and Myelodysplastic Syndrome: initial Results of a Phase I Trial, Antisense Res. d Drv. (1993), 3:383-390.  C7 Bennett RM et al., DNA binding to human leukocytes. Evidence for a receptor-mediated association, internalization, and degradation of DNA. J Clin Invest 76(6):2182-90, 1985.  C8 Barg DD et al., Interleukin-10 is a central regulator of the response to LPS in murine models of endotoxic shock and the Shwartzman reaction but not endotoxin tolerance. J Clin Invest 96(5):2339-47, 1995.  C9 Blanchard DK et al., Interleukin-10 is a central regulator of the response to LPS in murine models of endotoxic shock and macrophages. J Immunol 136(3):963-70, 1986.  C10 Blanchard DK et al., Interleukin-10 inc. again analytin fective third stage farvae. Molecular and Biochemical Parastiology, 77:17-93.  C11 Boggs RT et al., Amplification of antibody production by phosphorothioate oligodeoxynucleotides. Antisense Nuclete Acid Drug Dev 7(5):461-71, Oct 1997.  C12 Branda RT et al., Amplification of antibody production by phosphorothioate oligodeoxynucleotides. J. Lab Clin Med 128(3):239-38, Sep 1996.  C13 Branda et al., Amplification of antibody production by phosphorothioate oligodeoxynucleotides. J. Lab Clin Med 128(3):239-338, Sep 1996.  C16 Brand	Ter x			CONTINUE		
PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT  APPLICANT McCluskie et al.  FILING DATE May 21, 1999   GROUP  Cytomegalovirus Major Immediate-Early Region. Antimicrobid Agents and Chemotherapy, 37:1945-1932.  September, 1993.  C4 Azma, Biochemical and Immunological Studies on Cellular Components of Tubercle Bacilli, Kekkaku, Vol. 29, 945-55, 1992.  C5 Ballas ZK et al., Induction of NK activity in murine and human cells by CpG motifs in oligodeoxynucleotides and bacterial DNA. J Immunol 157(5):1840-5, 1996.  C6 Bayever, E., Systemic Administration of a Phosphorothioate Oligonucleotide with a Sequence Complementary to p53 for Acute Myelogenous leukemia and Myelodysplastic Syndrome: Initial Results of a Phase 1 Trial, Antisense Res. & Dev. (1993), 33:83-380.  C7 Bennet RM et al., DNA binding to human leukocytes. Evidence for a receptor-mediated association, internalization, and degradation of DNA. J Clin Invest 76(6):2182-90, 1985.  C8 Berg D1 et al., Interferon-gamma induction by 1jopolysaccharide: dependence on interleukin 2 and macrophages. J Immunol 136(3):963-70, 1986.  C9 Blanchard DK et al., Interferon-gamma induction by 1jopolysaccharide: dependence on interleukin 2 and macrophages. J Immunol 136(3):963-70, 1986.  C10 Blaxter et al., Genes expressed in Brugia malayi infective third stage larvae. Molecular and Biochemical Parastiology, 77:77-93.  C11 Boggs RT et al., Characterization and modulation of immune stimulation by modified oligonucleotides. Antisense Nucleic Acid Drug Den 7(5):461-71, Oct 1997.  C12 Branda RF et al., Repulsation of antibody production by phosphorothioate oligodeoxynucleotides. J. Lab Clin Med 128(3):329-38, Sep 1996.  C13 Branda et al., Immune Stimulation by an Antisense Oligomer Complementary to the rev gene of HIV-1. Biochemical Pharmacology, Vol. 45, 10:2037-2043, 1993.  C15 Branda RF et al., Repulsation of antibody production by phosphorothioate oligodeoxynucleotides. J. Lab Clin Med 128(4):2264-77, Jan 1990.  C16 Chang YN et al., Puse plandromic series I repeats	FORWERD	1449 (Modified)	ATTY. DOCKET NO.	SERIAL NO.		
PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT  APPLICANT McCluskie et al.  FILING DATE May 21, 1999   GROUP  Cytomegalovirus Major Immediate-Early Region. Antimicrobid Agents and Chemotherapy, 37:1945-1932.  September, 1993.  C4 Azma, Biochemical and Immunological Studies on Cellular Components of Tubercle Bacilli, Kekkaku, Vol. 29, 945-55, 1992.  C5 Ballas ZK et al., Induction of NK activity in murine and human cells by CpG motifs in oligodeoxynucleotides and bacterial DNA. J Immunol 157(5):1840-5, 1996.  C6 Bayever, E., Systemic Administration of a Phosphorothioate Oligonucleotide with a Sequence Complementary to p53 for Acute Myelogenous leukemia and Myelodysplastic Syndrome: Initial Results of a Phase 1 Trial, Antisense Res. & Dev. (1993), 33:83-380.  C7 Bennet RM et al., DNA binding to human leukocytes. Evidence for a receptor-mediated association, internalization, and degradation of DNA. J Clin Invest 76(6):2182-90, 1985.  C8 Berg D1 et al., Interferon-gamma induction by 1jopolysaccharide: dependence on interleukin 2 and macrophages. J Immunol 136(3):963-70, 1986.  C9 Blanchard DK et al., Interferon-gamma induction by 1jopolysaccharide: dependence on interleukin 2 and macrophages. J Immunol 136(3):963-70, 1986.  C10 Blaxter et al., Genes expressed in Brugia malayi infective third stage larvae. Molecular and Biochemical Parastiology, 77:77-93.  C11 Boggs RT et al., Characterization and modulation of immune stimulation by modified oligonucleotides. Antisense Nucleic Acid Drug Den 7(5):461-71, Oct 1997.  C12 Branda RF et al., Repulsation of antibody production by phosphorothioate oligodeoxynucleotides. J. Lab Clin Med 128(3):329-38, Sep 1996.  C13 Branda et al., Immune Stimulation by an Antisense Oligomer Complementary to the rev gene of HIV-1. Biochemical Pharmacology, Vol. 45, 10:2037-2043, 1993.  C15 Branda RF et al., Repulsation of antibody production by phosphorothioate oligodeoxynucleotides. J. Lab Clin Med 128(4):2264-77, Jan 1990.  C16 Chang YN et al., Puse plandromic series I repeats	I IST OF PATENTS AND		C1040/7006	09/316 199		
INFORMATION DISCLOSURE  STATEMENT  APPLICANT McCluskie et al.  FILING DATE May 21, 1999 GROUP  Cytomegalovirus Major Immediate-Early Region. Antimicrobial Agents and Chemctherapy, 37:1945-1936  Cytomegalovirus Major Immediate-Early Region. Antimicrobial Agents and Chemctherapy, 37:1945-1936  September, 1993.  C4 Azuma, Biochemical and Immunological Studies on Cellular Components of Tubercle Bacilli, Kekkaku, Vol. 38, 945-55, 1992.  C5 Ballas ZK et al., Induction of NK activity in murine and human cells by CpG motifs in oligodeoxynucleotides and bacterial DNA. J Immunol 157(3):1840-5, 1996.  C6 Bayever, E., Systemic Administration of a Phosphorothioate Oligomucleotide with a Sequence Complementary to p33 for Acute Myelogenous leukemia and Myelodysplastic Syndrome: Initial Results of a Phase I Trial, Antisense Res. & Dev. (1993), 3383-390.  C7 Bennett RM et al., DNA binding to human leukocytes. Evidence for a receptor-mediated association, internalization, and degradation of DNA. J Clin Invest 76(6):2182-90, 1983.  C8 Berg DJ et al., Interleukin-10 is a central regulator of the response to LPS in murine models of endotoxic shock and the Shwartzman reaction but not endotoxin tolerance. J Clin Invest 76(5):2339-47, 1995.  C9 Blanchard DK et al., Interferon-gamma induction by lipopolysaccharide: dependence on interleukin 2 and macrophages. J Immunol 136(3):953-70, 1986.  C10 Boggs RT et al., Genes expressed in Brugia malay infective third stage larvae. Molecular and Biochemical Parastiology, 77:17-93.  C11 Boggs RT et al., Characterization and modulation of immune stimulation by modified oligonucleotides. Antisense Nucleic Acid Drug Dev 7(5):461-71, Oct 1997.  C12 Branda RT et al., Amplication of antibody production by phosphorothioate oligodeoxynucleotides. J. Lab Clin Med 128(3):329-38, Sep 1996.  C13 Branda et al., Immune Stimulation by an Antisense Oligomer Complementary to the rev gene of HIV-1. Biochemical Pharmacology, Vol. 43, 10:2037-2043, 1993.  C15 Chace, 1 et al., Regulation of Differentiation in CD5+ an			C1040/7000	05/310,155		
APPLICANT McCluskie et al.  FILING DATE May 21, 1999 GROUP  C3 Azad RF et al., Antivural Activity of a Phosphorothioate Oligonucleotide Complementary to RNA of the Annan of Cytomegalovirus Major Immediate-Early Region. Antimicrobial Agents and Chemotherapy, 37:1945-1939.  C4 Azuma, Biochemical and Immunological Studies on Cellular Components of Tubercle Bacilli, Kekkahu, Vol. 29, 945-55, 1992.  C5 Ballas ZK et al., Induction of NK activity in murine and human cells by CpG motifs in oligodeoxynucleotides and bacterial DNA. J Immunol 157(5):1840-5, 1996.  C6 Bayever, E., Systemic Administration of a Phosphorothioate Oligonucleotide with a Sequence Complementary to p53 for Acute Myelogenous leukemia and Myelodysplastic Syndrome: Initial Results of a Phase 1 Trial, Antisense Res. & Dev. (1993), 3:383-390.  C7 Bennett RM et al., DNA b inding to human leukocytes. Evidence for a receptor-mediated association, internalization, and degradation of DNA. J Clin Invest 76(6):2182-90, 1985.  C8 Berg D1 et al., Interleukin-10 is a central regulator of the response to LPS in murine models of endotoxic shock and the Shwartzman reaction but not endotoxin tolerance. J Clin Invest 96(5):2339-47, 1995.  C9 Blanchard DK et al., Interferon-gamma induction by lipopolysaccharide: dependence on interleukin 2 and macrophages. J Immunol 13(3):963-70, 1986.  C10 Blaxter et al., Genes expressed in Brugia malayi infective third stage larvae. Molecular and Biochemical Parastitology, 7:177-93.  C11 Boggs RT et al., Characterization and modulation of immune stimulation by modified oligonucleotides. J Lab Clin Med 128(3):329-38, Sep 1996.  C13 Branda et al., Immune Stimulation by an Antisense Oligomer Complementary to the rev gene of HIV-1. Biochemical Pharmacology, Vol. 48, 10:2037-2043, 1993.  C16 Chang Yet al., The palm of William of The Populations and the similar of the response to Hepatitis B Virus DNA Vaccines by Plasmids Coexpressing Hepatitis B Virus DNA Vaccines and Interleukin. J. Jennal of Virology, Vol. 71, No. 1, pp. 169-178, Jan.			· .			
AZAR RF et al., Antiviral Activity of a Phosphorothioate Oligonucleotide Complementary to RNA of the Physian of Cytomegalovirus Major Immediate-Early Region. Antimicrobial Agents and Chemotherapy, 37:1945-1939.  C4 Azuma, Biochemical and Immunological Studies on Cellular Components of Tubercle Bacilli, Kekkaku, Vol. 9, 445-55, 1992.  C5 Ballas ZK et al., Induction of NK activity in murine and human cells by CpG motifs in oligodeoxynucleotides and bacterial DNA. J Immunol 157(5):1840-5, 1996.  C6 Bayever, E., Systemic Administration of a Phosphorothioate Oligonucleotide with a Sequence Complementary to p53 for Acute Myelogenous leukemia and Myelodysplastic Syndrome: Initial Results of a Phase I Trial, Antisense Res. & Dev. (1993), 3:833-390.  C7 Bennett RM et al., DNA binding to human leukocytes. Evidence for a receptor-mediated association, internalization, and degradation of DNA. J Clin Invest 76(6):2182-90, 1985.  C8 Berg DJ et al., Interleukin-10 is a central regulator of the response to LPS in murine models of endotoxic shock and the Shwartzman reaction but not endotoxin tolerance. J Clin Invest 96(5):2393-47, 1995.  C9 Blanchard DK et al., Interfeuxin-10 is a central regulator of the response to LPS in murine models of endotoxic shock and macrophages. J Immunol 136(3):963-70, 1986.  C10 Blaxter et al., Genes expressed in Brugia malayi infective third stage larvae. Molecular and Biochemical Parastiology, 77:77-93.  C11 Boggs RT et al., Characterization and modulation of immune stimulation by modified oligonucleotides. Antisense Nucleic Acid Drug Dev 7(5):461-71, Oct 1997.  C12 Branda RF et al., Amplification of antibody production by phosphorothioate oligodeoxynucleotides. J. Lab Clin Med 128(3):329-33, Sep 1996.  C13 Branda et al., Immunol Stimulation by an Antisense Oligomer Complementary to the rev gene of HIV-1. Biochemical Pharmacology, Vol. 45, 10-2037-2043, 1993.  C15 Chace, J. et al., Regulation of Differentiation in CD5+ and Conventional B Cells, Clinical Immunology and Immunologology, Vol. 45, 10-				4 3		
FILING DATE May 21, 1999   GROUP   Cytomegalovirus Major Immediate-Early Region. Antimicrobial Agents and Chemotherapy, 37:1945-1939   September, 1993.		STATEMENT	ADDI ICANT McChushio et al	2 3 7		
C3 Azad RF et al., Antiviral Activity of a Phosphorothioate Oligonucleotide Complementary to RNA of the Cytomegalovirus Major Immediate-Early Region. Antimicrobial Agents and Chematherapy, 37:1945-1936.  C4 Azuma, Biochemical and Immunological Studies on Cellular Components of Tubercle Bacilli, Kekkaku, Vol. 20, 945-55, 1992.  C5 Ballas ZK et al., Induction of NK activity in murine and human cells by CpG motifs in oligodeoxymucleotides and bacterial DNA. J Immunol 157(5):1840-5, 1996.  C6 Bayever, E., Systemic Administration of a Phosphorothioate Oligonucleotide with a Sequence Complementary to p53 for Acute Myelogenous leukemia and Myelodysplastic Syndrome: Initial Results of a Phase I Trial, Antisense Res. & Dev. (1993), 3:383-390.  C7 Bennett RM et al., DNA binding to human leukocytes. Evidence for a receptor-mediated association, internalization, and degradation of DNA. J Clin Invest 76(6):2182-90, 1985.  C8 Berg DJ et al., Interleukin-10 is a central regulator of the response to LPS in murine models of endotoxic shock and the Shwartzman reaction but not endotoxin tolerance. J Clin Invest 96(5):2339-47, 1985.  C9 Blanchard DK et al., Interferon-gamma induction by lipopolysaccharide: dependence on interleukin 2 and macrophages. J Immunol 136(3):963-70, 1986.  C10 Blaxter et al., Genes expressed in Brugia malayi infective third stage larvae. Molecular and Biochemical Parasistology, 71:771-93.  C11 Boggs RT et al., Characterization and modulation of immune stimulation by modified oligonucleotides. Antisense Nucleic Acid Drug Dev 7(5):461-71, Oct 1997.  C12 Branda RF et al., Amplification of antibody production by phosphorothioate oligodeoxynucleotides. J. Lab Clin Med 128(3):329-38, Sep 1996.  C13 Branda et al., Immunol Stimulation by an Antisense Oligomer Complementary to the rev gene of HIV-1. Biochemical Pharmacology, Vol. 45, 10:2037-2043, 1993.  C15 Chace, I. et al., Regulation of Differentiation in CD5+ and Conventional B Cells, Clinical Immunology and Immunopathology, 1993, 88:3392-3393, 88:3393-389.  C				CROUP S		
Cytomegalovirus Major Immediate-Early Region. Antimicrobial Agents and Chemotherapy, 37:1943-1939 September, 1993.  C4 Azuma, Biochemical and Immunological Studies on Cellular Components of Tubercle Bacilli, Kekkaku, Vol. 9, 943-55, 1992.  C5 Ballas ZK et al., Induction of NK activity in murine and human cells by CpG motifs in oligodeoxynucleotides and bacterial DNA. J Immunol 157(5):1840-5, 1996.  C6 Bayever, E., Systemic Administration of a Phosphorothioate Oligonucleotide with a Sequence Complementary to p53 for Acute Myelogenous leukemia and Myelodysplastic Syndrome: Initial Results of a Phase I Trial, Antisense Res. & Dev. (1993), 3:383-390.  C7 Bennett RM et al., DNA binding to human leukocytes. Evidence for a receptor-mediated association, internalization, and degradation of DNA. J Clin Invest 76(6):2182-90, 1985.  C8 Berg DJ et al., Interferon-gamma induction by Impolysaccharide: dependence on interleukin 2 and macrophages. J Immunol 136(3):953-70, 1986.  C9 Blanchard DK et al., Interferon-gamma induction by lipopolysaccharide: dependence on interleukin 2 and macrophages. J Immunol 136(3):953-70, 1986.  C10 Blaxter et al., Genes expressed in Brugia malay infective third stage larvae. Molecular and Biochemical Parasistology, 77:77-93.  C11 Boggs RT et al., Characterization and modulation of immune stimulation by modified oligonucleotides. Antisense Nucleic Acid Drug Dev 7(5):461-71, Oct 1997.  C12 Branda RF et al., Amplification of antibody production by phosphorothioate oligodeoxynucleotides. J. Lab Clin Med 128(3):329-38, Sep 1996.  C13 Branda et al., Immune Stimulation by an Antisense Oligomer Complementary to the rev gene of HIV-1. Biochemical Pharmacology, Vol. 45, 10:2037-2043, 1993.  C15 Chace, J. et al., Regulation of Differentiation in CD5+ and Conventional B Cells, Clinical Immunology and Immunopathology, (1993), 68:3:327-332.  C16 Chang Yn et al., The palindromic series I repeats in the simian cytomegalovirus major immediate-early promoter behave as both strong basal enhancers and cyclic AMP r			FILING DATE May 21, 1999			
C4 Azuma, Biochemical and Immunological Studies on Cellular Components of Tubercle Bacilli, Kekkaku, Vol. 9:45-55, 1992.  C5 Ballas ZK et al., Induction of NK activity in murine and human cells by CpG motifs in oligodeoxynucleotides and bacterial DNA. J Immunol 157(5):1840-5, 1996.  C6 Bayever, E., Systemic Administration of a Phosphorothioate Oligonucleotide with a Sequence Complementary to p53 for Acute Myelogenous leukemia and Myelodysplastic Syndrome: Initial Results of a Phase I Trial, Antisense Res. & Dev. (1993), 3:383-390.  C7 Bernett RM et al., DNA binding to human leukocytes. Evidence for a receptor-mediated association, internalization, and degradation of DNA. J Clin Invest 76(6):2182-90, 1985.  C8 Berg D1 et al., Interlevial: 10 is a central regulator of the response to LPS in murine models of endotoxic shock and the Shwartzman reaction but not endotoxin tolerance. J Clin Invest 96(5):2339-47, 1995.  C9 Blanchard DK et al., Interferon-gamma induction by lipopolysaccharide: dependence on interleukin 2 and macrophages. J Immunol 136(3):963-70, 1986.  C10 Blaxter et al., Genes expressed in Brugia malayi infective third stage larvae. Molecular and Biochemical Parasitology, 77:77-93.  C11 Boggs RT et al., Characterization and modulation of immune stimulation by modified oligonucleotides. Antisense Nucleic Acid Drug Dev 7(5):461-71, Oct 1997.  C12 Branda RF et al., Amplification of antibody production by phosphorothioate oligodeoxynucleotides. J. Lab Clin Med 128(3):329-38, Sep 1996.  C13 Branda et al., Immune Stimulation by an Antisense Oligomer Complementary to the rev gene of HIV-1. Biochemical Pharmacology, Vol. 45, 10:2037-2043, 1993.  C15 Chace, J. et al., Regulation of Differentiation in CD5+ and Conventional B Cells, Clinical Immunology and Immunopathology, (1993), 68:3:327-332.  C16 Cham Y et al., The palindromic series I repeats in the similan cytomegalovirus major immediate-early promoter behave as both strong basal enhancers and cyclic AMP response elements. J Virol 64(1):264-77, Jan 1990.  C1	C3	Cytomegalovirus Major Immediat	e-Early Region. Antimicrobial Agents and C	Chemotherapy, 37:1945-1933		
beaterial DNA. J Immunol 157(5):1840-5, 1996.  C6 Bayever, E., Systemic Administration of a Phosphorothioate Oligonucleotide with a Sequence Complementary to p53 for Acute Myelogenous leukemia and Myelodysplastic Syndrome: Initial Results of a Phase I Trial, Antisense Res. & Dev. (1993), 3:83-390.  C7 Bennett RM et al., DNA binding to human leukocytes. Evidence for a receptor-mediated association, internalization, and degradation of DNA. J Clin Invest 76(6):2182-90, 1985.  C8 Berg Di et al., Interleukin-10 is a central regulator of the response to LPS in murine models of endotoxic shock and the Shwartzman reaction but not endotoxin tolerance. J Clin Invest 96(5):2339-47, 1995.  C9 Blanchard DK et al., Interferon-gamma induction by lipopolysaccharide: dependence on interleukin 2 and macrophages. J Immunol 136(3):963-70, 1986.  C10 Blaxter et al., Genes expressed in Brugia malayi infective third stage larvae. Molecular and Biochemical Parasitology, 71:77-93.  C11 Boggs RT et al., Characterization and modulation of immune stimulation by modified oligonucleotides. Antisense Nucleic Acid Drug Dev 7(5):461-71, Oct 1997.  C12 Branda RT et al., Amplification of antibody production by phosphorothioate oligodeoxymucleotides. J. Lab Clin Med 128(3):329-38, Sep 1996.  C13 Branda et al., Immune Stimulation by an Antisense Oligomer Complementary to the rev gene of HIV-1. Biochemical Pharmacology, Vol. 45, 10:2037-2043, 1993.  C15 Cace, J. et al., Regulation of Differentiation in CD5+ and Conventional B Cells, Clinical Immunology and Immunopathology, (1993), 68:3:327-332.  C16 Chang YN et al., The palindromic series I repeats in the similan cytomegalovirus major immediate-early promoter behave as both strong basal enhancers and cyclic AMP response elements. J Virol 64(1):264-77, Jan 1990.  C17 Chu RS et al., CpG oligodeoxynucleotides act as adjuvants that switch on T helper 1(1):264-77, Jan 1990.  C18 Chow Y et al., Improvement of Hepatitis B Virus DNA Vaccines by Plasmids Coexpressing Hepatitis B Virus DNA Vaccines Can Be Mo	C4	Azuma, Biochemical and Immuno		Tubercle Bacilli, Kekkaku, Volas,		
for Acute Myelogenous leukemia and Myelodysplastic Syndrome: Initial Results of a Phase I Trial, Antisense Res. & Dev. (1993), 3:383-390.  C7 Bennett RM et al., DNA binding to human leukocytes. Evidence for a receptor-mediated association, internalization, and degradation of DNA. J Clin Invest 76(6):2182-90, 1985.  C8 Berg DJ et al., Interleukin-10 is a central regulator of the response to LPS in murine models of endotoxic shock and the Shwartzman reaction but not endotoxin tolerance. J Clin Invest 96(5):2339-47, 1995.  C9 Blanchard DK et al., Interferon-gamma induction by lipopolysaccharide: dependence on interleukin 2 and macrophages. J Immunol 136(3):963-70, 1986.  C10 Blaxter et al., Genes expressed in Brugia malayi infective third stage larvae. Molecular and Biochemical Parasitology, 77:77-93.  C11 Boggs RT et al., Characterization and modulation of immune stimulation by modified oligonucleotides. Antisense Nucleic Acid Drug Dev 7(5):461-71, Oct 1997.  C12 Branda RF et al., Amplification of antibody production by phosphorothioate oligodeoxynucleotides. J. Lab Clin Med 128(3):329-38, Sep 1996.  C13 Branda et al., Immune Stimulation by an Antisense Oligomer Complementary to the rev gene of HIV-1. Biochemical Pharmacology, Vol. 45, 10:2037-2043, 1993.  C15 Chace, J. et al., Regulation of Differentiation in CD5+ and Conventional B Cells, Clinical Immunology and Immunopathology, (1993), 68:3:327-332.  C16 Chang YN et al., The palindromic series I repeats in the simian cytomegalovirus major immediate-early promoter behave as both strong basal enhancers and cyclic AMP response elements. J Virol 64(1):264-77, Jan 1990.  C17 Chu RS et al., CpG oligodeoxynucleotides act as adjuvants that switch on T helper 1 (Th1) immunity. J Exp Med 186(10):1623-31, 17 Nov 1997.  C18 Chow Y et al., Improvement of Hepatitis B Virus DNA Vaccines by Plasmids Coexpressing Hepatitis B Virus DNA Vaccines can Be Modulated by Codelivery of Various Cytokine Genes, The Journal of Immunology, 160:1320-1329, 1998.  C20 Corv M et al., Gene Vacc	C5	hacterial DNA J Immunol 157(5)	:1840-5, 1996.	l'		
and degradation of DNA. J Clin Invest 76(6):2182-90, 1985.  C8 Berg DJ et al., Interleukin-10 is a central regulator of the response to LPS in murine models of endotoxic shock and the Shwartzman reaction but not endotoxin tolerance. J Clin Invest 96(5):2339-47, 1995.  C9 Blanchard DK et al., Interferon-gamma induction by lipopolysaccharide: dependence on interleukin 2 and macrophages. J Immunol 136(3):963-70, 1986.  C10 Blaxter et al., Genes expressed in Brugia malayi infective third stage larvae. Molecular and Biochemical Parasitology, 77:77-93.  C11 Boggs RT et al., Characterization and modulation of immune stimulation by modified oligonucleotides. Antisense Nucleic Acid Drug Dev 7(5):461-71, Oct 1997.  C12 Branda RF et al., Amplification of antibody production by phosphorothioate oligodeoxynucleotides. J. Lab Clin Med 128(3):329-38, Sep 1996.  C13 Branda et al., Immune Stimulation by an Antisense Oligomer Complementary to the rev gene of HIV-1. Biochemical Pharmacology, Vol. 45, 10:2037-2043, 1993.  C15 Chace, J. et al., Regulation of Differentiation in CD5+ and Conventional B Cells, Clinical Immunology and Immunopathology, (1993), 683:327-332.  C16 Chang YN et al., The palindromic series I repeats in the simian cytomegalovirus major immediate-early promoter behave as both strong basal enhancers and cyclic AMP response elements. J Virol 64(1):264-77, Jan 1990.  C17 Chu RS et al., CpG oligodeoxynucleotides act as adjuvants that switch on T helper 1 (Th1) immunity. J Exp Med 186(10):1623-31, 17 Nov 1997.  C18 Chow Y et al., Improvement of Hepatitis B Virus DNA Vaccines by Plasmids Coexpressing Hepatitis B Surface Antigen and Interleukin-2, Journal of Virology, Vol. 71, No. 1, pp. 169-178, Jan. 1997.  C19 Chow Y et al., Beacterial DNA induces NK cells to produce IFN-gamma in vivo and increases the toxicity of lipopolysaccharides. J Immunol 156(12):4370-5, 15 Jun 1996.  C21 Coroby et al., The Early Responses Gene FGFI-C Encodes a Zinc Finger Transcriptional Activator and is a Member of the GCGGGGGGC (GSG) Elemen	C6	for Acute Myelogenous leukemia	and Myelodysplastic Syndrome: Initial Resu	alts of a Phase I Trial, Antisense Res. &		
the Shwartzman reaction but not endotoxin tolerance. J Clin Invest 96(3):2339-41, 1995.  C9 Blanchard DK et al., Interferon-gamma induction by lipopolysaccharide: dependence on interleukin 2 and macrophages. J Immunol 136(3):963-70, 1986.  C10 Blaxter et al., Genes expressed in Brugia malayi infective third stage larvae. Molecular and Biochemical Parastiology, 77:77-93.  C11 Boggs RT et al., Characterization and modulation of immune stimulation by modified oligonucleotides. Antisense Nucleic Acid Drug Dev 7(5):461-71, Oct 1997.  C12 Branda RF et al., Amplification of antibody production by phosphorothioate oligodeoxynucleotides. J. Lab Clin Med 128(3):329-38, Sep 1996.  C13 Branda et al., Immune Stimulation by an Antisense Oligomer Complementary to the rev gene of HIV-1. Biochemical Pharmacology, Vol. 45, 10:2037-2043, 1993.  C15 Chace, J. et al., Regulation of Differentiation in CD5+ and Conventional B Cells, Clinical Immunology and Immunopathology, (1993), 683:327-332.  C16 Chang YN et al., The palindromic series I repeats in the simian cytomegalovirus major immediate-early promoter behave as both strong basal enhancers and cyclic AMP response elements. J Virol 64(1):264-77, Jan 1990.  C17 Chu RS et al., CpG oligodeoxynucleotides act as adjuvants that switch on T helper 1 (Th1) immunity. J Exp Med 186(10):1623-31, 17 Nov 1997.  C18 Chow Y et al., Improvement of Hepatitis B Virus DNA Vaccines by Plasmids Coexpressing Hepatitis B Surface Antigen and Interleukin-2, Journal of Virology, Vol. 71, No. 1, pp. 169-178, Jan. 1997.  C19 Chow Y et al., Development of Th1 and Th2 Populations and the Nature of Immune Responses to Hepatitis B Virus DNA Vaccines Can Be Modulated by Codelivery of Various Cytokine Genes, The Journal of Immunology, 160:1320-1329, 1998.  C20 Corr M et al., Gene Vaccination with Naked Plasmid DNA: Mechanism of CTL Priming, J. Exp. Med., Vol. 184, 155-1560, October 1996.  C21 Cowdery 15 et al., Bacterial DNA induces NK cells to produce IFN-gamma in vivo and increases the toxicity of lipopolysacch	C7	and degradation of DNA JClin	Invest 76(6):2182-90, 1985.	÷		
C9 Blanchard DK et al., Interferon-gamma induction by lipopolysaccharide: dependence on interleukin 2 and macrophages. J Immunol 136(3):963-70, 1986.  C10 Blaxter et al., Genes expressed in Brugia malayi infective third stage larvae. Molecular and Biochemical Parasitology, 77:77-93.  C11 Boggs RT et al., Characterization and modulation of immune stimulation by modified oligonucleotides. Antisense Nucleic Acid Drug Dev 7(5):461-71, Oct 1997.  C12 Branda RF et al., Amplification of antibody production by phosphorothioate oligodeoxynucleotides. J. Lab Clin Med 128(3):329-38, Sep 1996.  C13 Branda et al., Immune Stimulation by an Antisense Oligomer Complementary to the rev gene of HIV-1. Biochemical Pharmacology, Vol. 45, 10:2037-2043, 1993.  C15 Chace, J. et al., Regulation of Differentiation in CD5+ and Conventional B Cells, Clinical Immunology and Immunopathology, (1993), 68:3:327-332.  C16 Chang YN et al., The palindromic series I repeats in the simian cytomegalovirus major immediate-early promoter behave as both strong basal enhancers and cyclic AMP response elements. J Virol 64(1):264-77, Jan 1990.  C17 Chu RS et al., CpG oligodeoxynucleotides act as adjuvants that switch on T helper 1 (Th1) immunity. J Exp Med 186(10):1623-31, 17 Nov 1997.  C18 Chow Y et al., Improvement of Hepatitis B Virus DNA Vaccines by Plasmids Coexpressing Hepatitis B Surface Antigen and Interleukin-2, Journal of Virology, Vol. 71, No. 1, pp. 169-178, Jan. 1997.  C19 Chow Y et al., Development of Th1 and Th2 Populations and the Nature of Immune Responses to Hepatitis B Virus DNA Vaccines Can Be Modulated by Codelivery of Various Cytokine Genes, The Journal of Immunology, 160:1320-1329, 1998.  C20 Corr M et al., Gene Vaccination with Naked Plasmid DNA: Mechanism of CTL Priming, J. Exp. Med., Vol. 184, 155-1560, October 1996.  C21 Cowdery JS et al., The Early Responses Gene FGFI-C Encodes a Zinc Finger Transcriptional Activator and is a Member of the GCGGGGGCG (GSG) Element-Binding Protein Family. Mol. Cell. Biol., 2:3835-3841, 1991.  C2	C8	the Shwartzman reaction but not	endotoxin tolerance. J Clin Invest 96(5):2339	9-47, 1995.		
C10 Blaxter et al., Genes expressed in Brugia malayi infective third stage larvae. Molecular and Biochemical Parasitology, 77:77-93.  C11 Boggs RT et al., Characterization and modulation of immune stimulation by modified oligonucleotides. Antisense Nucleic Acid Drug Dev 7(5):461-71, Oct 1997.  C12 Branda RF et al., Amplification of antibody production by phosphorothioate oligodeoxynucleotides. J. Lab Clin Med 128(3):329-38, Sep 1996.  C13 Branda et al., Immune Stimulation by an Antisense Oligomer Complementary to the rev gene of HIV-1. Biochemical Pharmacology, Vol. 45, 10:2037-2043, 1993.  C15 Chace, J. et al., Regulation of Differentiation in CD5+ and Conventional B Cells, Clinical Immunology and Immunopathology, (1993), 68:3:327-332.  C16 Chang YN et al., The palindromic series I repeats in the simian cytomegalovirus major immediate-early promoter behave as both strong basal enhancers and cyclic AMP response elements. J Virol 64(1):264-77, Jan 1990.  C17 Chu RS et al., CpG oligodeoxynucleotides act as adjuvants that switch on T helper I (Th1) immunity. J Exp Med 186(10):1623-31, 17 Nov 1997.  C18 Chow Y et al., Improvement of Hepatitis B Virus DNA Vaccines by Plasmids Coexpressing Hepatitis B Surface Antigen and Interleukin-2, Journal of Virology, Vol. 71, No. 1, pp. 169-178, Jan. 1997.  C19 Chow Y et al., Development of Th1 and Th2 Populations and the Nature of Immune Responses to Hepatitis B Virus DNA Vaccines Can Be Modulated by Codelivery of Various Cytokine Genes, The Journal of Immunology, 160:1320-1329, 1998.  C20 Corr M et al., Gene Vaccination with Naked Plasmid DNA: Mechanism of CTL Priming, J. Exp. Med., Vol. 184, 155-1560, October 1996.  C21 Cowdery JS et al., Bacterial DNA induces NK cells to produce IFN-gamma in vivo and increases the toxicity of lipopolysaccharides. J Immunol 156(12):4570-5, 15 Jun 1996.  C22 Crosby et al., The Early Responses Gene FGFI-C Encodes a Zinc Finger Transcriptional Activator and is a Member of the GCGGGGCCG (GSG) Element-Binding Protein Family. Mol. Cell. Biol., 2:3	C9	Blanchard DK et al., Interferon-g	gamma induction by lipopolysaccharide: depe	endence on interleukin 2 and		
C11 Boggs RT et al., Characterization and modulation of immune stimulation by modified oligonucleotides. Antisense Nucleic Acid Drug Dev 7(5):461-71, Oct 1997.  C12 Branda RF et al., Amplification of antibody production by phosphorothioate oligodeoxynucleotides. J. Lab Clin Med 128(3):329-38, Sep 1996.  C13 Branda et al., Immune Stimulation by an Antisense Oligomer Complementary to the rev gene of HIV-1. Biochemical Pharmacology, Vol. 45, 10:2037-2043, 1993.  C15 Chace, J. et al., Regulation of Differentiation in CD5+ and Conventional B Cells, Clinical Immunogathology (1993), 68:3:327-332.  C16 Chang YN et al., The palindromic series I repeats in the simian cytomegalovirus major immediate-early promoter behave as both strong basal enhancers and cyclic AMP response elements. J Virol 64(1):264-77, Jan 1990.  C17 Chu RS et al., CpG oligodeoxynucleotides act as adjuvants that switch on T helper 1 (Th1) immunity. J Exp Med 186(10):1623-31, 17 Nov 1997.  C18 Chow Y et al., Improvement of Hepatitis B Virus DNA Vaccines by Plasmids Coexpressing Hepatitis B Surface Antigen and Interleukin-2, Journal of Virology, Vol. 71, No. 1, pp. 169-178, Jan. 1997.  C19 Chow Y et al., Development of Th1 and Th2 Populations and the Nature of Immune Responses to Hepatitis B Virus DNA Vaccines Can Be Modulated by Codelivery of Various Cytokine Genes, The Journal of Immunology, 160:1320-1329, 1998.  C20 Corr M et al., Gene Vaccination with Naked Plasmid DNA: Mechanism of CTL Priming, J. Exp. Med., Vol. 184, 155-1560, October 1996.  C21 Cowdery IS et al., Bacterial DNA induces NK cells to produce IFN-gamma in vivo and increases the toxicity of lipopolysaccharides. J Immunol 156(12):4570-5, 15 Jun 1996.  C22 Crosby et al., The Early Responses Gene FGFI-C Encodes a Zinc Finger Transcriptional Activator and is a Member of the GCGGGGGCG (GSG) Element-Binding Protein Family. Mol. Cell. Biol., 2:3835-3841, 1991.  C23 Crystal, Transfer of Genes to Humans: Early Lessons and Obstacles to Success. Science, Vol. 270, pp. 404-410, 1995.		macrophages. J Immunol 136(3):	963-70, 1986.	M.L. J. Disalaminal		
Nucleic Acid Drug Dev 7(5):461-71, Oct 1997.  C12 Branda RF et al., Amplification of antibody production by phosphorothioate oligodeoxynucleotides. J. Lab Clin Med 128(3):329-38, Sep 1996.  C13 Branda et al., Immune Stimulation by an Antisense Oligomer Complementary to the rev gene of HIV-1. Biochemical Pharmacology, Vol. 45, 10:2037-2043, 1993.  C15 Chace, J. et al., Regulation of Differentiation in CD5+ and Conventional B Cells, Clinical Immunology and Immunopathology, (1993), 68:3:327-332.  C16 Chang YN et al., The palindromic series I repeats in the simian cytomegalovirus major immediate-early promoter behave as both strong basal enhancers and cyclic AMP response elements. J Virol 64(1):264-77, Jan 1990.  C17 Chu RS et al., CpG oligodeoxynucleotides act as adjuvants that switch on T helper 1 (Th1) immunity. J Exp Med 186(10):1623-31, 17 Nov 1997.  C18 Chow Y et al., Improvement of Hepatitis B Virus DNA Vaccines by Plasmids Coexpressing Hepatitis B Surface Antigen and Interleukin-2, Journal of Virology, Vol. 71, No. 1, pp. 169-178, Jan. 1997.  C19 Chow Y et al., Development of Th1 and Th2 Populations and the Nature of Immune Responses to Hepatitis B Virus DNA Vaccines Can Be Modulated by Codelivery of Various Cytokine Genes, The Journal of Immunology, 160:1320-1329, 1998.  C20 Corr M et al., Gene Vaccination with Naked Plasmid DNA: Mechanism of CTL Priming, J. Exp. Med., Vol. 184, 155-1560, October 1996.  C21 Cowdery IS et al., Bacterial DNA induces NK cells to produce IFN-gamma in vivo and increases the toxicity of lipopolysaccharides. J Immunol 156(12):4570-5, 15 Jun 1996.  C22 Crosby et al., The Early Responses Gene FGFI-C Encodes a Zinc Finger Transcriptional Activator and is a Member of the GCGGGGCG (GSG) Element-Binding Protein Family. Mol. Cell. Biol., 2:3835-3841, 1991.  C23 Crystal, Transfer of Genes to Humans: Early Lessons and Obstacles to Success. Science, Vol. 270, pp. 404-410, 1995.	C10	Parasitology 77:77-93.	·			
128(3):329-38, Sep 1996.  C13 Branda et al., Immune Stimulation by an Antisense Oligomer Complementary to the rev gene of HIV-1. Biochemical Pharmacology, Vol. 45, 10:2037-2043, 1993.  C15 Chace, J. et al., Regulation of Differentiation in CD5+ and Conventional B Cells, Clinical Immunology and Immunopathology, (1993), 68:3:327-332.  C16 Chang YN et al., The palindromic series I repeats in the simian cytomegalovirus major immediate-early promoter behave as both strong basal enhancers and cyclic AMP response elements. J Virol 64(1):264-77, Jan 1990.  C17 Chu RS et al., CpG oligodeoxynucleotides act as adjuvants that switch on T helper I (Th1) immunity. J Exp Med 186(10):1623-31, 17 Nov 1997.  C18 Chow Y et al., Improvement of Hepatitis B Virus DNA Vaccines by Plasmids Coexpressing Hepatitis B Surface Antigen and Interleukin-2, Journal of Virology, Vol. 71, No. 1, pp. 169-178, Jan. 1997.  C19 Chow Y et al., Development of Th1 and Th2 Populations and the Nature of Immune Responses to Hepatitis B Virus DNA Vaccines Can Be Modulated by Codelivery of Various Cytokine Genes, The Journal of Immunology, 160:1320-1329, 1998.  C20 Corr M et al., Gene Vaccination with Naked Plasmid DNA: Mechanism of CTL Priming, J. Exp. Med., Vol. 184, 155-1560, October 1996.  C21 Cowdery JS et al., Bacterial DNA induces NK cells to produce IFN-gamma in vivo and increases the toxicity of lipopolysaccharides. J Immunol 156(12):4570-5, 15 Jun 1996.  C21 Crosby et al., The Early Responses Gene FGFI-C Encodes a Zinc Finger Transcriptional Activator and is a Member of the GCGGGGGCG (GSG) Element-Binding Protein Family. Mol. Cell. Biol., 2:3835-3841, 1991.  C23 Crystal, Transfer of Genes to Humans: Early Lessons and Obstacles to Success. Science, Vol. 270, pp. 404-410, 1995.	C11	Nucleic Acid Drug Dev 7(5):461	-71. Oct 1997.			
<ul> <li>Pharmacology, Vol. 45, 10:2037-2043, 1993.</li> <li>C15 Chace, J. et al., Regulation of Differentiation in CD5+ and Conventional B Cells, Clinical Immunology and Immunopathology, (1993), 68:3:327-332.</li> <li>C16 Chang YN et al., The palindromic series I repeats in the simian cytomegalovirus major immediate-early promoter behave as both strong basal enhancers and cyclic AMP response elements. J Virol 64(1):264-77, Jan 1990.</li> <li>C17 Chu RS et al., CpG oligodeoxynucleotides act as adjuvants that switch on T helper I (Th1) immunity. J Exp Med 186(10):1623-31, 17 Nov 1997.</li> <li>C18 Chow Y et al., Improvement of Hepatitis B Virus DNA Vaccines by Plasmids Coexpressing Hepatitis B Surface Antigen and Interleukin-2, Journal of Virology, Vol. 71, No. 1, pp. 169-178, Jan. 1997.</li> <li>C19 Chow Y et al., Development of Th1 and Th2 Populations and the Nature of Immune Responses to Hepatitis B Virus DNA Vaccines Can Be Modulated by Codelivery of Various Cytokine Genes, The Journal of Immunology, 160:1320-1329, 1998.</li> <li>C20 Corr M et al., Gene Vaccination with Naked Plasmid DNA: Mechanism of CTL Priming, J. Exp. Med., Vol. 184, 155-1560, October 1996.</li> <li>C21 Cowdery JS et al., Bacterial DNA induces NK cells to produce IFN-gamma in vivo and increases the toxicity of lipopolysaccharides. J Immunol 156(12):4570-5, 15 Jun 1996.</li> <li>C22 Crosby et al., The Early Responses Gene FGFI-C Encodes a Zinc Finger Transcriptional Activator and is a Member of the GCGGGGGCG (GSG) Element-Binding Protein Family. Mol. Cell. Biol., 2:3835-3841, 1991.</li> <li>C23 Crystal, Transfer of Genes to Humans: Early Lessons and Obstacles to Success. Science, Vol. 270, pp. 404-410, 1995</li> <li>C24 D'Andrea A et al., Interleukin 10 (IL-10) inhibits human lymphocyte interferon gamma-production by suppressing</li> </ul>	C12	128(3):329-38 Sen 1996				
Immunopathology, (1993), 68:3:327-332.   C16	C13	Pharmacology, Vol. 45, 10:203'	7-2043, 1993.	·		
behave as both strong basal enhancers and cyclic AMP response elements. J Virol 64(1):264-71, Jan 1990.  C17 Chu RS et al., CpG oligodeoxynucleotides act as adjuvants that switch on T helper I (Th1) immunity. J Exp Med 186(10):1623-31, 17 Nov 1997.  C18 Chow Y et al., Improvement of Hepatitis B Virus DNA Vaccines by Plasmids Coexpressing Hepatitis B Surface Antigen and Interleukin-2, Journal of Virology, Vol. 71, No. 1, pp. 169-178, Jan. 1997.  C19 Chow Y et al., Development of Th1 and Th2 Populations and the Nature of Immune Responses to Hepatitis B Virus DNA Vaccines Can Be Modulated by Codelivery of Various Cytokine Genes, The Journal of Immunology, 160:1320-1329, 1998.  C20 Corr M et al., Gene Vaccination with Naked Plasmid DNA: Mechanism of CTL Priming, J. Exp. Med., Vol. 184, 155-1560, October 1996.  C21 Cowdery JS et al., Bacterial DNA induces NK cells to produce IFN-gamma in vivo and increases the toxicity of lipopolysaccharides. J Immunol 156(12):4570-5, 15 Jun 1996.  C22 Crosby et al., The Early Responses Gene FGFI-C Encodes a Zinc Finger Transcriptional Activator and is a Member of the GCGGGGGCG (GSG) Element-Binding Protein Family. Mol. Cell. Biol., 2:3835-3841, 1991.  C23 Crystal, Transfer of Genes to Humans: Early Lessons and Obstacles to Success. Science, Vol. 270, pp. 404-410, 1995.  C24 D'Andrea A et al., Interleukin 10 (IL-10) inhibits human lymphocyte interferon gamma-production by suppressing	C15	Immunopathology, (1993), 68:3	:327-332.			
<ul> <li>C17 Chu RS et al., CpG oligodeoxynucleotides act as adjuvants that switch on Thelper I (111) immunity. J Exp Med 186(10):1623-31, 17 Nov 1997.</li> <li>C18 Chow Y et al., Improvement of Hepatitis B Virus DNA Vaccines by Plasmids Coexpressing Hepatitis B Surface Antigen and Interleukin-2, Journal of Virology, Vol. 71, No. 1, pp. 169-178, Jan. 1997.</li> <li>C19 Chow Y et al., Development of Th1 and Th2 Populations and the Nature of Immune Responses to Hepatitis B Virus DNA Vaccines Can Be Modulated by Codelivery of Various Cytokine Genes, The Journal of Immunology, 160:1320-1329, 1998.</li> <li>C20 Corr M et al., Gene Vaccination with Naked Plasmid DNA: Mechanism of CTL Priming, J. Exp. Med., Vol. 184, 155-1560, October 1996.</li> <li>C21 Cowdery JS et al., Bacterial DNA induces NK cells to produce IFN-gamma in vivo and increases the toxicity of lipopolysaccharides. J Immunol 156(12):4570-5, 15 Jun 1996.</li> <li>C22 Crosby et al., The Early Responses Gene FGFI-C Encodes a Zinc Finger Transcriptional Activator and is a Member of the GCGGGGGCG (GSG) Element-Binding Protein Family. Mol. Cell. Biol., 2:3835-3841, 1991.</li> <li>C23 Crystal, Transfer of Genes to Humans: Early Lessons and Obstacles to Success. Science, Vol. 270, pp. 404-410, 1995.</li> <li>C24 D'Andrea A et al., Interleukin 10 (IL-10) inhibits human lymphocyte interferon gamma-production by suppressing</li> </ul>	C16	behave as both strong basal enh	ancers and cyclic AMP response elements. J	<i>Virol</i> 64(1):264-77, Jan 1990.		
C18 Chow Y et al., Improvement of Hepatitis B Virus DNA Vaccines by Plasmids Coexpressing Hepatitis B Surface Antigen and Interleukin-2, Journal of Virology, Vol. 71, No. 1, pp. 169-178, Jan. 1997.  C19 Chow Y et al., Development of Th1 and Th2 Populations and the Nature of Immune Responses to Hepatitis B Virus DNA Vaccines Can Be Modulated by Codelivery of Various Cytokine Genes, The Journal of Immunology, 160:1320-1329, 1998.  C20 Corr M et al., Gene Vaccination with Naked Plasmid DNA: Mechanism of CTL Priming, J. Exp. Med., Vol. 184, 155-1560, October 1996.  C21 Cowdery JS et al., Bacterial DNA induces NK cells to produce IFN-gamma in vivo and increases the toxicity of lipopolysaccharides. J Immunol 156(12):4570-5, 15 Jun 1996.  C22 Crosby et al., The Early Responses Gene FGFI-C Encodes a Zinc Finger Transcriptional Activator and is a Member of the GCGGGGGCG (GSG) Element-Binding Protein Family. Mol. Cell. Biol., 2:3835-3841, 1991.  C23 Crystal, Transfer of Genes to Humans: Early Lessons and Obstacles to Success. Science, Vol. 270, pp. 404-410, 1995.  C24 D'Andrea A et al., Interleukin 10 (IL-10) inhibits human lymphocyte interferon gamma-production by suppressing	C17	7 Chu RS et al., CpG oligodeoxyr 186(10):1623-31, 17 Nov 1997.	nucleotides act as adjuvants that switch on T	helper I (InI) immunity. J Exp Mea		
C19 Chow Y et al., Development of Th1 and Th2 Populations and the Nature of Immune Responses to Hepatitis B Virus DNA Vaccines Can Be Modulated by Codelivery of Various Cytokine Genes, The Journal of Immunology, 160:1320-1329, 1998.  C20 Corr M et al., Gene Vaccination with Naked Plasmid DNA: Mechanism of CTL Priming, J. Exp. Med., Vol. 184, 155-1560, October 1996.  C21 Cowdery JS et al., Bacterial DNA induces NK cells to produce IFN-gamma in vivo and increases the toxicity of lipopolysaccharides. J Immunol 156(12):4570-5, 15 Jun 1996.  C22 Crosby et al., The Early Responses Gene FGFI-C Encodes a Zinc Finger Transcriptional Activator and is a Member of the GCGGGGGCG (GSG) Element-Binding Protein Family. Mol. Cell. Biol., 2:3835-3841, 1991.  C23 Crystal, Transfer of Genes to Humans: Early Lessons and Obstacles to Success. Science, Vol. 270, pp. 404-410, 1995.  C24 D'Andrea A et al., Interleukin 10 (IL-10) inhibits human lymphocyte interferon gamma-production by suppressing	CI	Chow Y et al., Improvement of	Hepatitis B Virus DNA Vaccines by Plasmic and of Virology, Vol. 71, No. 1, pp. 169-178,	Jan. 1997.		
C21   Cowdery JS et al., Bacterial DNA induces NK cells to produce IFN-gamma in vivo and increases the toxicity of lipopolysaccharides. J Immunol 156(12):4570-5, 15 Jun 1996.   C22   Crosby et al., The Early Responses Gene FGFI-C Encodes a Zinc Finger Transcriptional Activator and is a Member of the GCGGGGGCG (GSG) Element-Binding Protein Family. Mol. Cell. Biol., 2:3835-3841, 1991.   C23   Crystal, Transfer of Genes to Humans: Early Lessons and Obstacles to Success. Science, Vol. 270, pp. 404-410, 1995.   C24   D'Andrea A et al., Interleukin 10 (IL-10) inhibits human lymphocyte interferon gamma-production by suppressing	Ci	9 Chow Y et al., Development of DNA Vaccines Can Be Modula 160:1320-1329, 1998.	Th1 and Th2 Populations and the Nature of ted by Codelivery of Various Cytokine General	Immune Responses to Hepatitis B Virus es, The Journal of Immunology,		
C21 Cowdery JS et al., Bacterial DNA induces NK cells to produce IFN-gamma in vivo and increases the toxicity of lipopolysaccharides. J Immunol 156(12):4570-5, 15 Jun 1996.  C22 Crosby et al., The Early Responses Gene FGFI-C Encodes a Zinc Finger Transcriptional Activator and is a Member of the GCGGGGGCG (GSG) Element-Binding Protein Family. Mol. Cell. Biol., 2:3835-3841, 1991.  C23 Crystal, Transfer of Genes to Humans: Early Lessons and Obstacles to Success. Science, Vol. 270, pp. 404-410, 1995.  C24 D'Andrea A et al., Interleukin 10 (IL-10) inhibits human lymphocyte interferon gamma-production by suppressing	C2	O Corr M et al., Gene Vaccination				
C22 Crosby et al., The Early Responses Gene FGFI-C Encodes a Zinc Finger Transcriptional Activator and is a Member of the GCGGGGCG (GSG) Element-Binding Protein Family. Mol. Cell. Biol., 2:3835-3841, 1991.  C23 Crystal, Transfer of Genes to Humans: Early Lessons and Obstacles to Success. Science, Vol. 270, pp. 404-410, 1995  C24 D'Andrea A et al., Interleukin 10 (IL-10) inhibits human lymphocyte interferon gamma-production by suppressing	C2	1 Cowdery JS et al., Bacterial Di	J 156(12):4570-5, 15 Jun 1996.			
C23 Crystal, Transfer of Genes to Humans: Early Lessons and Obstacles to Success. Science, Vol. 270, pp. 404-410, 1995  C24 D'Andrea A et al., Interleukin 10 (IL-10) inhibits human lymphocyte interferon gamma-production by suppressing	C2	2 Crosby et al., The Early Respo	Crosby et al., The Early Responses Gene FGFI-C Encodes a Zinc Finger Transcriptional Activator and is a Member the GCGGGGGCG (GSG) Element-Binding Protein Family. <i>Mol. Cell. Biol.</i> , 2:3835-3841, 1991.			
C24 D'Andrea A et al., Interleukin 10 (IL-10) inhibits human lymphocyte interferon gamma-production by suppressing	C2	23 Crystal, Transfer of Genes to I	Humans: Early Lessons and Obstacles to Suc	cess. Science, Vol. 270, pp. 404-410, 1995		
	<u> </u>	24 D'Andrea A et al. Interleukin	10 (IL-10) inhibits human lymphocyte interf	eron gamma-production by suppressing		



E			- CONTRACTOR NO	TOEDIAL NO	
RMU	RIDAM	(Modified)	ATTY. DOCKET NO.	SERIAL NO.	
1	ו זכד ה	F PATENTS AND	C1040/7006	09/316,199	
PUBLICATIONS FOR APPLICANT'S			01010//000	, , , ,	
INIE	FORMA	TION DISCLOSURE			
11 11		TATEMENT			
			APPLICANT McCluskie et al.		
			FILING DATE May 21, 1999	GROUP	
	C25 I	Daheshia M et al., Immune induct	ion and modulation by topical ocular admir	nistration of plasmid DNA sacoding	
Ì		Antigens and cytokines Vaccine.	Vol. 16, No. 11/12, pp. 1103-1110, 1998.	× 5	
	C26	Daynes RA et al., Induction of Co	mmon Mucosal Immunity by Hormonally	immunomodulated Periphera	
	COT	Immunization, Infection and Imm	unity, Vol. 64, No. 4, pp. 1100-1109, Apr. Tied Oligonucleotides as Probes and Inhibite	ors, Angew. Chem. Int. Ed. Engl. 30:613-	
	1 1	(20, 1001		٠ - ١	
	C28	Erb KJ et al., Infection of mice w	ith Mycobacterium bovis-Bacillus Calmette	e-Guerin (BCG) suppresses allerge	
	1	induced airway eosinophilia $IE$	n Med 187(4):561-9, 16 Feb 1998.	<b>5</b> 5	
	C29	Etlinjer, Carrier sequence selection	on - one key to successful vaccines, Immuno	ology Today, Vol. 13, 2:32-33, 1992.	
	1 1	No. 182630 (April 29, 1994).	nydroxychloroquine as an antirheumatic dru		
	C31	Gordon et al., Safety, Immunoge	nicity, and Efficacy of a Recombinantly Protits B Surface Antigen Subunit Vaccine, JIL	oduced <i>Plasmodium falciparum</i> Od 171. pp. 1576-1585. June 1995.	
	622	Circumsporozoite Protein-Hepat	B Pains. Science (1995), 270:575-576.	, 171, pp. 1576 1565, cano 1576.	
	C32	Hadden J et al., Immunostimular			
	C33	Hadden J et al., Immunostinular	cology, <i>JAMA</i> , (1992) 268:20:2964-2969.		
	C34	Hadden J et al., Immunophalma	A induces murine interferon-gamma produ	ction by stimulation of interleukin-12 and	
	C35	tumor necrosis factor-alpha Cel	I Immunol 167(1):72-8, 1996.		
	C36	Hatzfeld J., Release of Early Hu	man Hematopoietic Progenitors from Quies	scence by Antisense Transforming Growth	
		Factor 81 or Ph Oligonycleotide	es I Exp Med. (1991) 174:925-929.		
	C37	Heppner et al., Safety, Immunos	genicity, and Efficacy of Plasmodium falcip	parum Repeatless Circumsporozoite Protein	
	1	Vaccine Encapsulated in Liposo	mes, JID, 174, pp. 361-366, August 1996. the Murkier. Biotechnology, 12:828, August	ist 12 1994	
	C38	Highfield PE, Sepsis: the More,	of multiple nuclear factors that interact with	h cyclic adenosine 3' 5'-monophosphate	
	C39	Hoeffler JP et al., Identification	in and activating transcription factor-2 by p	protein-protein interactions. Mol Endocrino	
		5(2):256-66, Feb 1991.		•	
	C40		d Vaccine-Induced Immune Responses Rec	nuire CD28 Costimulation and Are	
	C40	Demilated by CTI A4 The Jour	rnal of Immunology, 160:2706-2714, 1998.		
	C41	Jauchi Ariga SM and Shaffner	W CnG methylation of the cAMP-responsi	ive enhancer/promoter sequence	
		TGACGTCA abolishes specific	e factor binding as well as transcriptional ac	ctivation. Genes Dev 3(3):012-9, May 130	
	C42	Iverson, P., et al., "Pharmacoki	netics of an Antisense Phosphorothioate Ol us Type 1 in the Adult male Rate Following	r Single Injections and Continuous	
		Human Immunodeficiency Vir	and Development, (1994), 4:43-52	5 Shigh Hijections and Contains at	
	C43	Ishikawa R et al. IFN induction	n and associated changes in splenic leukocy	yte distribution. J Immunol 150(9):3713-27	
	C43	1 May 1002			
	C46	Kim II et al. In Vivo Enginee	ring of a Cellular Immune Response by Coa	administration of IL-12 Expression Vector	
		With a DNA Immunogen, The	Journal of Immunology, 158:816-826, 199	quired for Oligonucleotides to Augment N	
	C47	Call Activity and Induce IFN	ding of Oligoguanylate to Scavenger Receptors Is Required for Oligonucleotides to Augment NK duce IFN, <i>J. Biochem.</i> , Vol. 116, 5:991-994, 1994.  motif oligonucleotides are effective in prevention of eosinophilic inflammation in a murine		
	C48	Kline JN et al., CpG motif olig	gonucleotides are effective in prevention of	eosmophine initamination in a marine	
		model of asthma. J Invest Med	ection by CpG oligonucleotides. Conversion	of a Th2 response to a Th1 response in a	
	C49	murine model of asthma. J Im	vest Med 45(3):282A, 1997.		



N. San	.S.		
FORM PTO 49 (Modified)		ATTY, DOCKET NO.	SERIAL NO.
LIST	OF PATENTS AND	C1040/7006	09/316,199
PUBLICATIONS FOR APPLICANT'S			
	ATION DISCLOSURE		1 2 1
	STATEMENT		E & CO
<u> </u>	STATEMENT	APPLICANT McCluskie et al.	3 2 7
		FILING DATE May 21, 1999	GROUP
C50	asthma J Invest Med 45(7):298A	des can reverse as well as prevent Th2-med 1997.	
C51	Immunology, 158:3635-3639, 199	of CpG Motifs to the Immunogenicity of DN 97.	₹ 1
C52	Klinman DM et al., CpG motifs p	resent in bacteria DNA rapidly induce lymp	hocytes to secrete interleukin 6
	interleukin 12, and interferon gan	nma. Proc Natl Acad Sci USA 93(7):2879-83	1, 1996.
C53	Clin Med 128(2):128-33, 1996.	fense mechanism based on the recognition o	1
C54	Krieg AM et al., Uptake of oligo	deoxyribonucleotides by lymphoid cells is he	eterogeneous and inducible. Antisense
	Res Dev 1(2):161-71, Summer 19	991.	L CD II C Library C C C water
C55	Krieg AM et al., Oligodeoxynuc	eotide modifications determine the magnitude	de of B cell stimulation by CpG motils.
	Antisense Nucleic Acid Drug De	v 6(2):133-9, Summer 1996.	otides by a 5' cholesteryl majety
C56	Krieg AM et al., "Modification of	of antisense phosphodiester oligodeoxynucle I improves efficacy", Proc. Natl. Acad. Sci.,	(1993) 90·1048-1052
0.55	increases cellular association and	Pathogenic Factor in Systemic Lupus Erythe	ematosus?" Journal of Clinical
C57	Immunology (1995) 15:6:284-29	92	<u> </u>
C58		ate Oligodeoxynucleotides: Antisense or An	ti-Protein', Antisense Research and
	Development, (1995), 5:241	Li L Oli - I - malastida» (mali	d Antiganga Oliganyalaatida Tachnology
C59	(1998) 431-448	mulation by Oligodeoxynucleotides", Applie	
C60	Krieg AM et al., CpG motifs in	bacterial DNA trigger direct B-cell activation	n. Nature 374:546-9, 1995.
C61	1998	oG dinuleotides in DNA vaccines", Trends i	
C62	Krieg AM el al, "A Role for Er Journal of Immunology, Vol. 14	dogenous Retroviral Sequences in the Regular 2448-2451.	lation of Lymphocyte Activation, the
C63	Krieg AM et al., Sequence moti	fs in adenoviral DNA block immune activat	ion by stimulatory CpG motifs, Proc.
	Natl. Acad. Sci. USA, Vol. 95, p	e Sequences Required for Natural Killer Cel	Activation Jan J. Cancer Res.
C64	83:1128-1131, November 1992	le Sequences Required for Natural Rimor Co.	, op
C65	Larsen DL et al., Coadministrat	ion of DNA Encoding Interleukin-6 and Her lice, <i>Journal of Virology</i> , Vol. 72, No. 2, pp.	magglutinin Confers Protection from
	Influenza Virus Challenge in iv	on of Hepatitis C Virus Envelope-Specific Ir	nmunity by Bicistronic Plasmid DNA
C66	Inoculation with the Granulocy	te-Macrophage Colony-Stimulating Factor (	Gene, Journal of Virology, Vol. 72, No. 10,
	pp. 8430-8436, Oct. 1998.	f Guanine 8-Oxoadenine Base Pairs in the C	rystal Structure of
C6'	Leonard et al., Conformation of	iochemistry, 31(36):8415-8420, 1992.	ystar structure or
C69	U(CUCUAATI(UOA)UCU). E	NA as immune cell activator, Trends Microb	iol, 6(12): 496-500, Dec. 1998.
	6 Lipiold GB et al., Bacterial Br	nulsomes, and Cholera Toxin B Improve Nas	sal Immunogenicity of Human
C6	Lowell et al., Proteosomes, Ell	0 in Mice: Induction of Serum, Intestinal, V	aginal, and Lung IgA and IgG,
	The Journal of Infectious Dise	ases, 175:292-301, 1997.	
C7	Lu Y et al. Macrophage inflar	nmatory protein-1\alpha (MIP-1\alpha) expression pla	smid enhances DNA vaccine-induced
	immune response against HIV	-1. Clin Exp Immunol 115:335-341, 1999.	
C7	1 Macfarlane DE and Manzel L	Antagonism of immunostimulatory CpG-ol elated compounds. <i>J Immunol</i> 160(3):1122-	igodeoxynucleotides by quinacrine, 31, Feb 1 1998.
<u> </u>	cinoroquino, una su acturant		

72 2 7 200	9 <b>68 1</b> 1. }	-5-	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	£)/		SERIAL NO. 99/316,199 32
RADEMARK		ATTY. DOCKET NO.	SERIAL NO.
FORM PTO-14	49 (Modified)	ATTY. DUCKET NO.	SERIAL NO.
T TOT OI	CDATENITO ANID	C1040/7006	09/316 199
	F PATENTS AND	C1040/7000	0)/310,133
	NS FOR APPLICANT'S		
	TION DISCLOSURE		
. S.	<u> </u>	APPLICANT McCluskie et al.	
	14		GROUP
		FILING DATE May 21, 1999	
l i	n rabbits, Am J Vet Res, Vol. 52,	pody response by use of synthetic adjuvant synon. 9, pp. 1503-1506, September 1991.	·
C74 N	Mannino RJ et al., Lipid Matrix-F	Based Vaccines for Mucosal and Systemic In	munization, pp. 363-387.
C75 I	Mastrangelo et al. Seminars in Or	ncology. Vol. 23, 1:4-21, 1996.	
C76 1	Matson S and Krieg AM, Nonspe	cific suppression of [3H]thymidine incorpor	ation by "control" oligonucleotides.
1 1	Austin 2000 Day Day 2(4):325-30 V	Vinter 1997	
C77	McIntyre KW et al., A sense pho-	sphorothioate oligonucleotide directed to the	Day 3(4):309-22 Winter 1993
	NF-kappa B p65 causes sequence	e-specific immune stimulation. Antisense Res	Murine Lymphocytes by Natural and
1 1 1	Cometantia Dalumunlantida Antiger	ns Collular Immunology, $147:148-157, 199$ .	5.
C79	Messing et al Stimulation of in	vitro Murine Lymphocyte Proliferation by B	acterial DNA. J. Immunol., Vol. 147,
1 1	C.1750 1764 Contember 15 100	01	
- C00	Mainile C. et al "Administration	on of a Phosphorothicate Oligonucleotide An	tisense Murine Endogenous Retroviral
	MCF env Causes Immune Effect	t in vivo in a Sequence-Specific Manner, Ci	inical Immunology and
	Immunopathology, (1993), 67:2	:130-136 , a novel immune enhancer for systemic and	mucosal immunization with influenza
C81	Washing Vol 16 No 11/	12 nn 1216-1224 1998	
C92	Mottrom et al. A novel CDC2-r	elated protein kinase from leishmania mexic	ana LmmCRK1 is post-translationally
C82	1.4. I demine the life evole	1 Biol Chem 268:28 21044-21052 (UCIODE	r 1993).
C83	Mouril VM et al Adjuvants inf	luence the quantitative and qualitative immu	ne response in BALB/c inice minimized
	with respiratory syncytial virus	FG subunit vaccine, <i>Vaccine</i> , Vol. 15, No. 5,	, pp. 252-532, 1997.
C84	New England BIOLABS 1988-1	989 Catalog	205 721 725 20 Feb 1007
C85	Nyce JW and Metzger WJ, DN	A antisense therapy for asthma in an animal i	model. Nature 385:721-725, 20 Feb 1997.
C86	Okada E et al., Intranasal Immu	inization of a DNA Vaccine with IL-12- and	Granulocyte-Macrophage Colony-
	Stimulating Factor (GM-CSF)-	Expressing Plasmids in Liposomes Induces S	50·3638-3647 1997
	Immune Responses Against HI	V-1 Antigens, <i>The Journal of Immunology</i> , 1 Murine Lymphocyte ProliferationSimplex	Virus, Life Science, 54:101-107, (1994)
C87	Pisetsky et alo., Stimulation of	vitro proliferation of murine lymphocytes by	v synthetic oligodeoxynucleotides".
C88	Molacular Riology Rangirs (1	993) 18:217-221	
C89	Pisetsky, The Immunological F	Properties of DNA, The Journal of Immunolo	gy, pp. 421-423 (1996).
C90	(1005)	equences of Nucleic Acid Therapy, Antisense	·
C91	Raz F et al Preferential induc	tion of a Th1 immune response and inhibitio	n of specific IgE antibody formation by
	1 'I DATA immunication I	Proc Natl Acad Sci 1/SA 93(111) 3141-3, 14 IV	1av 1990.
C92	Ribi E et al., Preparation and A	Antitumor Activity of Nontoxic Lipid A, Care	1ting adjuvents. Nat Mad
C93	2(0),040,54, Aug 1007	nlatory DNA sequences function as T helper-	
C94	Sato et al., Immunostimulator	y DNA Sequences Necessary for Effective Ir	stradermal Gene Immunization, Science,

Schnell et al., Identification and characterization of a Saccharomyces cerevisiae gene (PAR1) conferring resistance to

Schultz N et al., Effect of DETOX as an adjuvant for melanoma vaccine, Vaccine, Vol. 13, No. 5, pp. 503-508, 1995.

C95

C96

Vol. 273, pp. 352-354, 1996.

iron chelators. Eur. J. Biochem., 200:487-493.

المان المناسبة	I PO A		•	A 16 CA
/ 33 ·			)	SERIAL NO. 60/316,199
_ Nov 2	2 4 2003	<b>8</b>	-6-	CENTA SO
ORWER	TOA	49 (Modified)	ATTY. DOCKET NO.	SERIAL NO.
MA	DEMIN	•		020
		F PATENTS AND ONS FOR APPLICANT'S	C1040/7006	09/316,199
		ATION DISCLOSURE		
		TATEMENT		
			APPLICANT McCluskie et al.	CROID
<del></del>	C07   0	Salanata DA-at al Endotovin re	FILING DATE May 21, 1999 ponsiveness and grain dust-induced inflamn	GROUP nation in the lower respiratory tract. Am
	١.	J Physiol 267(5 Pt 1):L609-17, 19	94.	
	C98	Schwartz DA et al., The role of er 152(2):603-8, 1995.	ndotoxin in grain dust-induced lung disease.	·
	C99	Schwartz DA et al., CpG motifs i 100(1):68-73, 1 Jul 1997.	n bacterial DNA cause inflammation in the le	ower respiratory tract. J Clin Invest
	C100	Shirakawa T et al., The inverse as 3 Jan 1997.	ssociation between tuberculin responses and	atopic disorder. Science 275(5296):77-9,
	C101	Sin J et al., IL-12 Gene as a DNA	Vaccine Adjuvant in a Herpes Mouse Mode	el: IL-12 Enhances Th1-Type CD4+
	1	Cell-Mediated Protective Immun 162:2912-2921, 1999.	ity Against Herpes Simplex Virus-2 Challeng	ge, The Journal of Immunology,
	C102	Sin J et al., In Vivo Modulation of	of Vaccine-Induced Immune Responses toward	rd a Th-1 Phenotype Increases Potency
		and Vaccine Effectiveness in a H pp. 501-509, Jan. 1999.	erpes Simplex Virus Type 2 Mouse Model,	Journal of Virology, Vol. 13, No. 1,
-	C103	Sparwasser T et al., Macrophage shock. Eur J Immunol 27(7):167	s sense pathogens via DNA motifs: induction	n of tumor necrosis factor-alpha-mediated
	C104	Stein CA et al., Oligonucleotides	as inhibitors of gene expression: a review.	Cancer Research, 48:2659-2668, 1988.
	C105	Stull et al., Antigene, Ribozyme, Vol. 12, 4:465-483, 1995.	and Aptamer Nucleic Acid Drugs: Progress	and Prospects, Pharmaceutical Res.,
	C106	Subramanian et al., Theoretical	Considerations on the "Spine of Hydration" i	n the Minor Groove of
		85:1836-1840, 1988,	CTTAAGCGC): Monte Carlo Computer Simu	
	C107	Sun S et al., Mitogenicity of DN	A from Different Organisms for Murine B C	Cells, The Journal of Immunology,
	C108	pp. 3119-3125. Tanaka T et al., An antisense Ol	igonucleotide complementary to a sequence	in IG2b increases G2b germline
	F	transcripts stimulates B cell DN	A synthesis and inhibits immunoglobulin sec	cretion. J. Exp. Med., 175:597-607, 1992.
	C109	np 152-154, 12 March 1992.	ation is a simple method for eliciting an imm	
	C110	Thoelen et al., Safety and immu	nogenicity of a hepatitis B vaccine formulate	
	C111	Thorne PS., Experimental grain dust atmospheres generated by wet and dry aerosolization techniques. Am J Ind Med		
	C112	<ul> <li>25(1):109-12, 1994.</li> <li>Tokunaga T et al., Synthetic Oligonucleotides with Particular Base Sequences form the cDNA Encoding Proteins of Myobacterium bovis BCG Induce Interferons and Activate Natural Killer Cells, Microbiol. Immunol., Vol. 36, 1:55-66, 1992.</li> </ul>		
	C113	Tokunaga et al., A Synthetic Si	ngle-Stranded DNA, Ply (dG, dC), Induces I Tumor Growth. <i>Jpn. J. Cancer Res.</i> , 79:682	nterferon α/β and -γ, Augments Natural -686, June 1988.
	C114	Tomasi M et al., Strong mucos	al adjuvanticity of cholera toxin within lipid sization, Eur. J. Immunol., 27:2720-2725, 199	particles of a new multiple emulsion
	C115	Tsuji T et al., Enhancement of	Cell-Mediated Immunity Against HIV-1 Indu	uced by Coinoculation of Plasmid-
	C117	Encoded HIV-1 Antigen with I	Plasmid Expressing IL-12, Journal of Immun onucleotides: A New Therapeutic Principle.	Chemical Reviews, 90:543-584, 1990.
	C116	Usinger, A comparison of anti	onucleotides: A New Therapeutic Finciple.	s potentiated by different adjuvants,
		Vaccine, Vol. 15, No. 17/19, p	p. 1902-1907, 1997.	



Vi so al	357	· mari p o grapario	CEDIAL NO	
ORM F10 1449 (Modified)		ATTY. DOCKET NO.	SERIAL NO.	
LIST OF PATENTS AND		C1040/7006	00/216 100	
		C1040/7006	09/316,199	
	NS FOR APPLICANT'S			
	TION DISCLOSURE		l e	
S	TATEMENT	APPLICANT McCluskie et al.		
			GROUP	
		FILING DATE May 21, 1999	_	
	Vosika G et al., Phase I Study of Intravenous Mycobacterial Cell Wall Skeleton and Trehalose Cimycolate Attache To Oil Droplets, Journal of Biological Response Modifiers, 3:620-626, 1984.			
1 1	Cell Wall Skeleton and Trehalose	of Intralesional Immunotherapy with Oil-Atta Dimycolate, Cancer Immunol Immunother,	6, 135-142 (1979).	
C120	Wagner RW Gene inhibition using	g antisense oligodeoxynucleotides. Nature,	372:L333-335, 1994.	
	152-432-442 (1987)	obes for the screening of recombinant DNA		
C122	Weeratna R et al., Reduction of A	antigen Expression from DNA Vaccines by Copment, 8:351-356, 1998.		
C123	Weiss R. Unning the Antisense A	Ante: Scientists bet on profits from reverse ge	enetics. Science, 139:108-109, 1991.	
C124	Weiss R., A Plasmid Encoding M.	Iurine Granulocyte-Macrophage Colony-Stir ccine. <i>The Journal of Immunology</i> , Vol. 161	nulating Factor Increases Protection, pp. 2325-2332, 1998.	
C125	Whalen R, DNA Vaccines for Er 175, 1996.	nerging Infection Diseases: What If?, Emerg	ing Infectious Disease, Vol. 2, 3:168-	
C126	Wu GV et al. Recentor-mediated	d gene delivery and expression in vivo. J. Bi	ol. Chem., 263:14621-14624, 1988.	
C127	Wu-Pong S., Oligonucleotides: C	Opportunities for Drug Therapy and Research	n. Pharmaceutical Technology, 18:102-	
C128	Xin KQ et al., Intranasal adminis	stration of human immunodeficiency virus ty enhances cell-mediated immunity against H	1V-1, Immunology, 94:438-444, 1998.	
C129	Yamamoto S et al., DNA from b	acteria, but not from vertebrates, induces int	erferons, activates natural killer cells and	
C130	Vamamoto S et al In vitro augr	nentation of natural killer cell activity and pricid fraction from <i>Mycobacterium bovis</i> BCG	oduction of interferon-alpha/beta and -	
C131	Yamamoto S., Mode of Action of	of Oligonucleotide Fraction Extracted from N	Aycobacterium bovis BCG, Kekkaku, Vo	
C132	Yamamoto S et al., Unique Pali	ndromic Sequences in Synthetic Oligonucleo I Killer Activity. <i>J. Immunol.</i> , Vol. 148, 12:4	1072-4076, June 15, 1992.	
C133	Yamamoto T et al., Ability of C Augment Natural Killer Cell Ac	Digonucleotides with Certain Palindromes to ctivity is Associated with Their Base Length.	Induce Interferon Production and Antisense Res. and Devel., 4:119-123,	
C134	Murine Splenocytes Enhances 1	Yamamoto et al., Lipofection of Synthetic Oligodeoxyribonucleotide Having a Palindromic Sequence AACGTT to Murine Splenocytes Enhances Interferon Production and Natural Killer Activity. <i>Microbiol. Immunol.</i> , Vol. 38, 10.831-836, 1994		
C135	Peripheral Blood Lymphocytes	Digonucleotides with Certain Palindromes St in vitro. Jpn. J. Cancer Res., 85:775-779, 1	994.	
C136	Yi, Ae-Kyung et al., IFN-γ Pro	motes IL-6 and IgM Secretion in Response to of Immunology, pp. 558-564 (1996).	o CpG Motifs in Bacterial DNA and	
C137	Yi, Ae-Kyung et al., Rapid Imi	d Immune Activation by CpG Motifs in Bacterial DNA, The Journal of Immunology, pp.		
C138	Zhao Q et al., Stage-specific of	ligonucleotide uptake in murine bone marrov		
C139	Than O et al. Comparison of o	cellular binding and uptake of antisense phosphodiester, phosphorothioate, and mixed phosphonate oligonucleotides. <i>Antisense Res Dev</i> 3(1):53-66, Spring 1993.		



DATE CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not n conformance and not considered.

Include copy of this form with next communication to applicant.

Tich Chilip soos of the State o